

Elkay Everyday Single Hole Deck Mount Kitchen Faucet with Pull-out Spray Lever Handle + Optional Escutcheon **Model(s) LK5000**

PRODUCT SPECIFICATIONS

Elkay Everyday Single Hole Deck Mount Kitchen Faucet with Pullout Spray Lever Handle + Optional Escutcheon. Faucet has a flow rate of 1.5 GPM, and is made of Brass material, with a Ceramic Disc valve. Faucet requires 1 faucet holes.

| Mounting Type: | Deck Mount | |
|-------------------------|-----------------------------------|--|
| Special Features: | Low Flow | |
| | Solid Brass Waterway Construction | |
| Spray Type: | Pull Out | |
| Finish: | Chrome (CR), Lustrous Steel (LS) | |
| Handle Type: | Lever Handle | |
| Deck Clearance: | 5" | |
| Spout Reach: | 9-1/2" | |
| Spout Height: | 7-3/8" | |
| Hole Drillings: | 1 | |
| Material: | Brass | |
| Valve Type: | Ceramic Disc | |
| Valve Connection: | 3/8" Female Compression Hose | |
| | Assembly | |
| Flow Rate: | 1.5 GPM | |
| Faucet Hole Size (min): | 1-3/8" | |
| Countertop Thickness: | 2-1/2 | |
| Spout Swing Rotation: | 120° | |
| Spout Type: | Pull-out Spray | |
| Spray Functions: | Aerated,Spray | |

Special Note: 1.5 GPM flow regulator installed (2.2 GPM flow regulator also included with faucet)





Included with Product:

Optional 3-hole deck plate/escutcheon.

AMERICAN PRIDE. A LIFETIME TRADITION. Like your family, the Elkay family has values and traditions that endure. For almost a century, Elkay has been a family-owned and operated company, providing thousands of jobs that support our families and communities.


Product Compliance:

ADA & ICC A117.1 ASME A112.18.1/CSA B125.1 CEC NSF 372 (lead free) NSF 61



Complies with ADA & ICC A117.1 accessibility requirements when installed according to the requirements outlined in these standards.

<u>Clean and Care Manual (PDF)</u> Installation Instructions (PDF) - LK5000 - Install Sheet Warranty (PDF)



| PART: | QTY: |
|-----------|------|
| PROJECT: | |
| CONTACT: | |
| DATE: | |
| NOTES: | |
| APPROVAL: | |


In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.



| Optional Accessori | es | |
|--------------------|---|---|
| <u>LK320</u> | Elkay 2" x 4-3/4" x 3" Soap / Lotion Dispenser <u>Spec Sheet (PDF)</u> | F |

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.





In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other producers' offerings, be certain these features are not overlooked.