

FEATURES & BENEFITS

SMART ENERGY SAVINGS MODE

Energy saving feature allows unit to power off the refrigeration system after 2 hours of non-use and dark ambient light conditions. Unit will automatically start back up next time unit is used or lights are turned back on.

FRESH FILTERED WATER

Always fresh filtered water - 3000-gallon (11,356 L) capacity, Electronic Lifecycle Control filter cartridge will shut off water flow when capacity is reached. To ensure fresh filtered water, flow will only start again when filter is changed. Filter status colored indicator lights located under bowl.

MODERN INNOVATIVE DESIGN

Modern, innovative design with stainless steel finish gives a sleek look and feel to high-end architectural spaces and lobbies.

UNIVERSAL MOUNTING

Specially designed internal configuration allows for mounting over existing competitors rough-ins.

BUBBLER HEAD

Bubbler features a flexible antimicrobial mouth guard to protect against injury and micro organisms. Anti-rotational design prevents unwanted attempts to remove or rotate the head.

ACTIVATION

A sensor operated solenoid valve provides hands-free hygienic operation.

VANDAL RESISTANT FEATURES

Exceptional vandal resistance features include a hidden programming button, anti-rotational bubbler head with an optional stainless steel version, UPC impact tested bowl supports, Torx bit access screws, steel frame, and fasteners hidden from public view.

BUBBLER DEACTIVATION

This feature gives sites the flexibility to temporarily deactivate the flow to the drinking fountain bubbler head.

OPTIONS

- 12 Pack Filter Cartridges for Haws Water Cooler: Model 6428-C, pack of twelve 3000-gallon (11356 L) replacement filters with Electronic Lifecycle Control for Haws 1200 series water coolers.
- Bubbler Head: Model 5716, stainless steel bubbler head for the Haws 1200 series water coolers.

For more information, visit www.hawscsco.com or call (888) 640-4297.



SPECIFICATIONS

Model 1201SFH indoor wall-mount ADA stainless steel filtered motion activated water cooler shall include an ASHRAE compliant, hermetically sealed R-134a refrigeration system with thermostat. Unit features a unique, modern design with 304 satin finish stainless steel outer shell. Energy savings feature powers down refrigeration system after 2 hours of non-use and the lights shut off, and will automatically start again when used. The 3000-gallon (11,356 L) filter with Electronic Lifecycle Control turns water off when capacity is reached. Flow will begin again when new filter is installed. The system includes a sensor operated solenoid valve to provide hands-free hygienic operation, a 45gpm self-regulating, anti-rotational bubbler head with flexible antimicrobial mouth guard, bubbler head deactivation feature, and instantaneous tankless water cooler for consistent cool water. 115 Volts, 60 Hz, rated watts: 350, full load amps: 5. Dimensions: (L x W x H) 18-3/4 x 15-11/16 x 26-1/4".

APPLICATIONS

Great for schools, office buildings, shopping malls, and other indoor environments where there is a demand for a chilled water source. CSA certified to comply with NSF/ANSI 42, NSF/ANSI 53, NSF/ANSI/CAN 61: Q ≤ 1, NSF/ANSI/CAN 372, ASME A112.18.1/CSA B125.1, ASME112.19.3/CSA B45.4, UL 399 and CSA C22.2 No. 120. ADA compliant to ICC A117.1, CSA B651, DOJ's 2010 ADA Standards for Accessible Design when properly installed. ASHRAE 18 compliant chilling capacity. FCC ID: 2AUAN-1200SFH and IC: 25359-1200SFH. Electric water coolers are not recommended or designed for outdoor applications or enclosed pool areas (chlorine), and failure to heed these conditions may void warranty. 5 Year Limited Warranty on the refrigeration system of the unit. Electrical components and water system are warranted for 12 months from date of installation. Warranty pertains to drinking water applications only.







NOTES:

1. HOLD PLUMBING & ELECTRICAL DIMENSIONS $\pm 1/4"$ (6.4mm). HOLD MOUNTING DIMENSIONS $\pm 1/8"$ [± 3.2 MM].
2. ADHERING TO PROVIDED INSTALLATION HEIGHT DIMENSIONS WILL ALLOW A SINGLE WATER COOLER (OR THE LOW WATER COOLER IN A HI-LO INSTALLATION), AND THE BOTTLE FILLER (IF APPLICABLE) TO BE INSTALLED AT ADULT ADA HEIGHT. FOR INSTALLATION HEIGHTS OTHER THAN SHOWN, DIMENSIONS MARKED (*) MUST BE ADJUSTED ACCORDINGLY. WHEN INSTALLING THIS UNIT, LOCAL, STATE, OR FEDERAL CODES SHOULD BE ADHERED TO.

TYPICAL SINGLE (OR LOW) UNIT INSTALLATION (REFRIGERATION COMPONENTS HIDDEN FOR CLARITY)

FULL SCALE
ROUGH-IN TEMPLATE
PN 0510001007
AVAILABLE UPON REQUEST




Haws®

1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN: 5343	REV. EON: 5595	BY: DHP	DATE: 07/25/18	CHKD: DHP	DATE: 09/28/20	TM	SCALE: 1:12	DRAWING TYPE: INSTALLATION	SIZE: A	SHEET 1 OF 7
MODEL(S) 12XX ELECTRIC WATER COOLERS										PART NUMBER 0510000866.D
APPROVED: [Signature]										REVISION 6

TYPICAL HI-LO UNIT INSTALLATION (REFRIGERATION COMPONENTS HIDDEN FOR CLARITY)





1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN: 5343	REV. EON: 5595	BY: DHP	DATE: 07/18/18	CHKD: DHP	DATE: 09/28/20	TM	SCALE: 1:12	DRAWING TYPE: INSTALLATION	SIZE: A	SHEET 2 OF 7
DRAWN: 5343	APPROVED: 5343	DATE: 07/18/18	CHKD: DHP	DATE: 09/28/20	TM	SCALE: 1:12	DRAWING TYPE: INSTALLATION	SIZE: A	SHEET 2 OF 7	
MODEL(S) 12XX ELECTRIC WATER COOLERS									PART NUMBER 0510000866.D	REVISION 6

THIS DOCUMENT IS TRUE AND CORRECT AT TIME OF PUBLICATION. CONTINUED PRODUCT IMPROVEMENTS MAKE SPECIFICATIONS AND MEASUREMENTS SUBJECT TO CHANGE WITHOUT NOTICE.

BOTTLE FILLER INSTALLATION DETAILS



BOTTLE FILLER MOUNTING & TUBING CONNECTION

WIRING HARNESS CONNECTION (REAR OF BOTTLE FILLER)






1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN:	REV. ECN:	BY:	DHP	DATE:	CHKD:	DHP	DATE:	TM	SCALE:	1:12	DRAWING TYPE:	INSTALLATION	SIZE:	A
5343		5995												
DRAWN:														
APPROVED:														
MODEL(S)										12XX ELECTRIC WATER COOLERS				
PART NUMBER										0510000866.D				
REVISION										6				
SHEET 3 OF 7														

THIS DOCUMENT IS TRUE AND CORRECT AT TIME OF PUBLICATION. CONTINUED PRODUCT IMPROVEMENTS MAKE SPECIFICATIONS AND MEASUREMENTS SUBJECT TO CHANGE WITHOUT NOTICE.

HIGH EWC INSTALLATION DETAILS




HIGH COOLER FIELD CONNECTIONS



1455 KLEPPE LANE SPARKS, NEVADA 89431 (775) 359-4712 FAX (775) 359-7424 E-MAIL: HAWS@HAWS.CO.COM WEBSITE: WWW.HAWS.CO.COM	
ECN: 5343	REV. ECN: 5343
DRAWN: 5595	BY: DHP
DATE: 01/01/20	CHKD: DHP
APPROVED: 09/28/20	DATE: 09/28/20
TM	TM
SCALE: 1/24	DRAWING TYPE: INSTALLATION
SIZE: A	SHEET 4 OF 7
MODEL(S) 12XX ELECTRIC WATER COOLERS	
PART NUMBER 0510000866.D	
REVISION 6	

RETROFIT INSTALLATION DETAILS




WATER SUPPLY VALVE IS PERMISSIBLE IN THIS AREA FOR BOTH **FILTER AND UNFILTERED MODELS**. VALVE MAY PROTRUDE 2 3/4" MAXIMUM FOR WALL. LARGE ESCUTCHEONS MAY NOT BE FEASIBLE, DEPENDING ON VALVE LOCATION.

— HAWS COOLER
— MOUNTING BRACKET

WATER SUPPLY VALVE
IS PERMISSIBLE IN
THIS AREA FOR
UNFILTERED UNITS ONLY.
VALVE MAY PROTRUDE
2 3/4" MAXIMUM FROM
WALL. LARGE
ESCUTCHEONS
MAY NOT BE FEASIBLE,
DEPENDING ON VALVE
LOCATION.

PERMISSIBLE WATER SUPPLY LOCATIONS



A WALL RECEPTACLE
WITH A STANDARD SIZE
WALL PLATE SHOULD
BE LOCATED WITHIN
THIS AREA

PERMISSIBLE ELECTRICAL RECEPTACLE LOCATIONS




1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWSO@HAWSO.COM
WEBSITE: WWW.HAWSO.COM


ECON.	REV. EON.	BY:	MODEL(S)	PART NUMBER	WEBSITE: WWW.TATNOCO.COM
N43	0685	JLP	12XX ELECTRIC WATER COOLERS	0510000866.D	
DRAWN:	DATE:	CHECKED:		REVISION	
ILL.	07/25/18	DHP		6	
APPROVED:	DATE:	INSTALLATION	SIZE:	SHEET # OF 7	
T.M.	09/29/20		A		

THIS DOCUMENT IS TRUE AND CORRECT AT TIME OF PUBLICATION. CONTINUED PRODUCT IMPROVEMENTS MAKE SPECIFICATIONS AND MEASUREMENTS SUBJECT TO CHANGE WITHOUT NOTICE.

MAINTENANCE



FILTER REPLACEMENT



Y-STRAINER CLEANING



1455 KLEPPE LANE
SPARKS, NEVADA 89431
(775) 359-4712 FAX (775) 359-7424
E-MAIL: HAWS@HAWS.CO.COM
WEBSITE: WWW.HAWS.CO.COM

ECN:	REV. ECN:	BY:	DATE:	CHKD:	DATE:	MODEL(S)	PART NUMBER
5343	5595	DHP	07/05/18	DHP	09/29/20	12XX ELECTRIC WATER COOLERS	0510000866.D
DRAWN:	APPROVED:	DATE:	DATE:	DATE:	DATE:	INSTALLATION	REVISION
							6
						SIZE: A	SHEET 7 OF 7