

model 8317LTEXP

Area Light

FEATURES & BENEFITS

OPTIONS

For more information, visit www.hawsco.com or call (888) 640-4297.



SPECIFICATIONS

Model 8317LTEXP is a white area light for continuous illumination of the 8317CTFP series showers. Class 1, Div. 1, Group C & D. Tempering Code: T4. Model is CSA electrical certified, TYPE 4; only when used with 8317CTFP.

APPLICATIONS

Model is CSA electrical certified, TYPE 4; only when used with 8317CTFP.






NOTES:

- INSTALLER MUST USE SUFFICIENT THREAD SEALANT, SUCH AS LOCATIONS, TO ENSURE A WATERTIGHT SEAL ON ALL ELECTRICAL APPLETON TLC-3, RECOMMENDED FOR USE IN HAZARDOUS
- 5 ALL INSTALLATIONS MUST BE INSTALLED IN COMPLIANCE WITH LOCAL, STATE, AND/OR FEDERAL CODES

PAGE 1

of 2

ယ WARNING: WHEN INSTALLED ON ANY 8317CTFP SERIES UNIT, THE ASSEMBLY IS ONLY RATED FOR GROUPS C & D AND T4



©2022 Haws Corporation - All Rights Reserved. HAWS® and other trademarks used in these materials are the exclusive property of Haws Corporation.

MODEL(S)

8317LTEXF

O002080166

8317LTEXP WIRING DETAIL

NOTES: (CONTINUED FROM SHEET 1) 4 LIGHT REPLACEMENT INSTRUCTIONS:

1) REMOVE GUARD/GLOBE ASSEMBLY:
FIRST LOOSEN SET SCREW (LOCATED ON GUARD
WHERE SHOWN). NEXT, ROTATE ASSEMBLY COUNTER
CLOCKWISE UNTIL GUARD IS FREE FROM PENDANT
MOUNT AND LAMP IS EXPOSED.


PAGE 2

- 2) ONLY REPLACE LAMP WITH HAWS P/N 0003200003.

 WARNING EXPLOSION HAZARD SUBSTITUTION OF

 COMPONENTS MAY IMPAIR SUITABILITY FOR CLASS 1,

 DIVISION 1.
- 3) REPLACE GUARD/GLOBE ASSEMBLY:
 ROTATE ASSEMBLY CLOCKWISE ONTO THE
 PENDANT MOUNT UNTIL TIGHT AND TIGHTEN
 SET SCREW.



SEE WARNING IN NOTE 4
(STEP 2) OF THIS SHEET 1
AND IN NOTE 3 ON SHEET 1

