



Suggested Specification

Model DGM-BC-FF-GRN-US is a non-refrigerated bottle filler with split level drinking fountains that deliver ambient water serving 3 station(s) heavy duty and vandal resistant in design. Shall include a bottle filler with manual push button activation and laminar flow and fountains shall have a single vandal resistant push button to activate the manual flow of water. Vandal Resistant water saver bubblers to reduce waste water by 50% and operate between 20 and 100 PSI. One-piece vandal resistant metal bubblers keyed into place to prevent vandalism. Cabinet finish shall be powder coat forest green on marine grade stainless steel. 1-1/4" NPSL connection for drainage, drain not included. Shall comply with ADA when properly installed. Shall comply with NSF/ANSI 61 and NSF/ANSI 372.

Features:	• Built-in 100 micron strainer stops particles before they enter the waterway
	• Waterways are lead-free in materials & construction
	• Vandal resistant metal water saver bubblers
	• 2.5mm marine grade 316 stainless steel
	• Corrosion and vandal resistant cabinetry
	• Mechanical activation

Filtration	Option to add filtration*
Power:	No electricity required
Activation By:	Independent Manual Activation on Bottle Filler and Fountains
Mounting Type:	Freestanding/Floor Mount
Chilling Option:	Non-Refrigerated
Full Load Amps	0 amps
Rated Watts	0
Dimensions	63" (H) x 43.1" (W) x 14" (Base Diameter)
Alcove Height	15 inches
Approx. Net Weight	114.6 lbs
Installation Location:	Outdoor
No. of Stations Served:	3

When used or stored in non-temperature controlled environments, the unit must be adequately winterized and/or protected from extreme heat to prevent damage.

*Ensure filters are certified for outdoor use.

MODEL: _____ QTY: _____

PROJECT: _____

CONTACT: _____

NOTES: _____

APPROVAL: _____ DATE: _____

OUTDOOR BOTTLE FILLER WITH SPLIT LEVEL DRINKING FOUNTAINS, MANUAL, NON-REFRIGERATED MODEL DGM-BC-FF-GRN-US



Ships in multiple boxes.

Installation

- Shipped with complete instructions and mounting plate
- Outdoor anchor assembly is recommended (at additional cost)
- Removable back panel provide easy access for installation

Finishes

- Forest Green powder coat on marine grade stainless steel

Limited 1-Year Warranty

(Continental limits of the United States and Canada)

One year on bottle fillers and electrical components. Detailed warranty certificate enclosed with each water cooler; sample available upon request.

Export Warranty

One year on components parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Certifications/Compliance

- Product Certified to NSF/ANSI Standard 61-G & 372 and conforms with the lead content requirements for "Lead Free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act
- These waters coolers comply with the requirements of ADA (Americans with Disabilities Act) when properly installed



WARNING:

Cancer and Reproductive Harm
www.P65Warnings.ca.gov



Specifications subject to change without notice



OUTDOOR BOTTLE FILLER WITH SPLIT LEVEL
DRINKING FOUNTAINS, MANUAL, NON-REFRIGERATED
MODEL DGM-BC-FF-GRN-US

Accessories



OASIS Outdoor Universal Filter Kit

OASIS Item #041253-008

- Add filtration to your unit - certified to NSF/ANSI 42, 53 and 401 for lead, cysts, Particulate Class I, chlorine, taste, odor and microplastics reduction to 4,750 gallons.



Outdoor Bottle Filler Ground Anchor Assembly

OASIS Item #043911P001

- The outdoor anchor assembly is a recommended accessory to secure your OASIS freestanding outdoor bottle filler models



[View all filters and accessories](#)



4. THE WATER SUPPLY FOR THE PET BOWL MUST BE SAFELY PROTECTED AGAINST BACKFLOW. WATER MUST COME EITHER THROUGH AND APPROVED BACKFLOW DEVICE OR FROM PROTECTED STORAGE TANK AND THE SUPPLY PIPE MUST ONLY BE USED FOR THIS UNIT.



