



# ELKAY® COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION KIT, TOTAL PFAS FILTER, NON-REFRIGERATED MODEL NNFEFBPG-FPF

## Suggested Specification

Model NNFEFBPG shall retrofit to existing OASIS PG\*AC and P\*AC series water coolers to provide contactless activation and laminar flow. Retrofits to both single and split level models. Model NNFEFBPG-FPF shall include the VersaFiller® Bottle Filler. Bottle Filler alcove and cabinet finish shall be stainless steel. Key VersaFiller components contain Freshield®, which utilizes a silver-based antimicrobial compound to protect the surfaces from discoloration, odors and degradation caused by the growth of micro-organisms and mildew.

<b>Features:</b>	•	Waterways are lead-free in materials & construction
	•	Heavy duty galvanized steel frame
	•	Bottle filler replaces bubbler, button activation, existing top and front panel
	•	Bottle filler retro-fits to the existing water cooler without removing it from the wall
	•	Re-uses existing refrigeration, plumbing and power source
	•	Access through the side of the bottle filler cabinet for clean and easy replacement of filters
	•	Filter located in top bottle filler for easy filter replacement
	•	Built-in filter monitor and bottle counter
	•	Logos permanently formed into the alcove and stainless steel wrapper
	•	LED lighted alcove
<b>Filtration System:</b>		OASIS Total PFAS, certified to NSF/ANSI 42, 53, 372 and 401 for chlorine, taste, odor, particulate class 1, lead, cysts, Total PFAS, and microplastics reduction to 1,100 gallons.
<b>Power:</b>		115 Volts, 60 Hz
<b>Activation By:</b>		Contactless Sensor
<b>Mounting Type:</b>		Wall Mounted
<b>Chilling Option:</b>		Utilizes existing refrigeration system if applicable
<b>Full Load Amps</b>		0.4 amps
<b>Rated Watts</b>		20
<b>Approx. Net Weight</b>		24 lbs
<b>Installation Location:</b>		Indoor



\*Drinking Fountain  
Not Included

**Ships in one box.**

## Installation

- Prior to roughing in, consult with local, state and federal codes for proper mounting height
- Shipped with complete instructions and wall mounting bracket

## Finishes

- Standard cabinet finish: Stainless steel

## Limited 1-Year Warranty

(Continental limits of the United States and Canada)  
One year on bottle fillers and electrical components. Detailed warranty certificate enclosed with each water cooler; sample available upon request.

## Export Warranty

One year on components parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

## Certifications/Compliance

- Certified to UL 399 and CAN/CSA C22.2 No.120 (electric water coolers only)
- Complies with the requirements of ADA (Americans with Disabilities Act) when properly installed

MODEL: \_\_\_\_\_ QTY: \_\_\_\_\_  
PROJECT: \_\_\_\_\_  
CONTACT: \_\_\_\_\_  
NOTES: \_\_\_\_\_  
APPROVAL: \_\_\_\_\_ DATE: \_\_\_\_\_



**WARNING:**  
Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



Specifications subject to change without notice



OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION  
KIT, TOTAL PFAS FILTER, NON-REFRIGERATED  
**MODEL NNFEBFPG-FPF**

**Accessories**



**OASIS Total PFAS Replacement Cartridge**

OASIS Item #041668-001

- Certified to NSF/ANSI 42, 53, 372 and 401 for chlorine, taste, odor, particulate class 1, lead, cysts, Total PFAS, and microplastics reduction to 1,100 gallons.




[View all filters and accessories](#)



# OASIS COOLER TO ELECTRONIC BOTTLE FILLER CONVERSION KIT, TOTAL PFAS FILTER, NON-REFRIGERATED

**MODEL NNFBFPG-FPF**



## NOTES:

1. \* DIMENSIONS ARE REFERENCE ONLY.
2. ALL DIMENSIONS ARE IN INCHES. DIMENSIONS IN BRACKETS [ ] ARE IN MILLIMETERS.